

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

✓ 6/29/83

COTTON VARIETIES PLANTED

1983 CROP



AUG 18 2011

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee
August 1983

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction	1
Leading Varieties.	1
1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1982	2
2. Varieties by states and United States, crop of 1983.	3
Varieties planted by marketing services office areas	
3. Abilene.	4
4. Altus.	4
5. Bakersfield.	5
6. Birmingham	5
7. Corpus Christi	6
8. El Centro.	6
9. El Paso.	7
10. Florence	7
11. Fresno	8
12. Greenwood.	8
13. Harlingen.	9
14. Hayti.	9
15. Lamesa	10
16. Little Rock.	10
17. Lubbock.	11
18. Macon.	11
19. Memphis.	12
20. Phoenix.	12
21. Waco	13
22. Winnsboro.	13
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1983	14
24. Estimated percentage of American Pima cotton acreage planted to specified varieties, by Marketing Services Office areas, crop of 1983.	14

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION - MARKET NEWS SECTION
4841 SUMMER AVENUE - MEMPHIS, TN 38122
Telephone 901-521-2934

Cotton Varieties Planted, United States
1983 Crop

Deltapine and Stoneville were the leading varieties of upland cotton planted in the United States in the 1983-84 season, according to the Cotton Division, Agricultural Marketing Service, USDA. These varieties accounted for 16 percent each of the acreage planted. Acala was the next most popular variety with 14 percent of the acreage, followed by Lankart, Paymaster and Tamcot with 9 percent each.

Deltapine and Stoneville were the leading varieties of upland cotton planted in the United States in 1983. Each accounted for 16 percent of the acreage planted. Deltapine was the leading variety planted in Arizona and Louisiana this season and accounted for 16 percent of the acreage planted a year earlier. Stoneville was the leading variety planted in Alabama, Arkansas, Mississippi, Missouri and Tennessee in 1983 and accounted for 21 percent of the 1982 acreage. Deltapine 41 was the most popular Deltapine strain, accounting for 6 percent of the 1983 U. S. acreage. Other Deltapine strains accounting for one percent or more of the U. S. acreage included: Deltapine 55, Deltapine 61, Deltapine 90 and Deltapine NSL. The most popular Stoneville strain was Stoneville 825 which accounted for about 12 percent of the U. S. acreage. Other Stoneville strains accounting for one or more percent of the acreage included: Stoneville 213 and Stoneville 506.

The next most popular variety of cotton planted in the United States in 1983 was Acala, accounting for 14 percent of the acreage. This was the same proportion as a year earlier. Acala was the leading variety planted in California and New Mexico. Acala SJ-2 was the most popular strain planted in California and accounted for 9 percent of the U. S. acreage. The leading strain in New Mexico was Acala 1517-75.

Lankart, Paymaster and Tamcot were the next most popular varieties planted in the United States, accounting for 9 percent, each, of the acreage. A year earlier, Lankart accounted for 8 percent, Paymaster 5 percent and Tamcot 10 percent of the acreage. Lankart was the most popular variety planted in Oklahoma. The most popular strain was Lankart 611 which accounted for 4 percent of the U. S. acreage. Paymaster was the leading variety planted in Texas and the most popular strain was Paymaster 145 at 3 percent of the U. S. acreage. Tamcot was the second leading variety planted in Texas. Tamcot CAMD-E and Tamcot SP21 were the most popular strains and accounted for 3 percent, each, of the U. S. acreage.

Pima S-5 remained the most popular strain of American Pima cotton planted in the United States for the 1983-84 season. Pima S-5 made up about 69 percent of the U. S. acreage planted, down from 91 percent a year earlier. Pima S-6 accounted for 31 percent of the U. S. acreage in 1983 and was planted primarily in Arizona.

Estimates of the percentage of the various varieties of cotton planted in the United States in 1983 by counties, marketing services office areas and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of cotton acreage planted to specified varieties, United States,
1979-1983

Year	Acala	Delta- pine	Lankart	Pay- master	Stone- ville	Tamcot	Other	Total
	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1979	13	15	13	8	15	7	29	100
1980	10	15	10	7	15	7	36	100
1981	13	16	10	9	16	9	27	100
1982	14	16	8	5	21	10	26	100
1983	14	16	9	9	16	9	27	100

August 22, 1983

TABLE 1. AVERAGE FIBER TEST RESULTS FOR VARIETIES OF COTTON GROWN COMMERCIALY IN THE UNITED STATES, CROP OF 1982.^{1/}

VARIETY	PRODUCTION AREAS	LOTS TESTED	STAPLE LENGTH	MICRONAIRE <u>2/</u>	FIBER STRENGTH HVI 1/8" GAGE <u>3/</u>	FIBER LENGTH <u>4/</u>	
						HVI UHM	M/UHM UNIFORMITY
	NO.	NO.	32ND IN.	RDG.	G/TEX	IN.	PCT.
GSA 71	1	2	30	42	21.5	0.92	80
STRIPPER 31	1	2	30	34	22.5	0.90	78
GP 3774	1	1	31	35	22.0	1.01	79
LANKART 57	2	4	31	40	23.0	0.98	81
LANKART 611	2	4	31	40	23.8	0.96	80
LANKART LX 571	1	2	31	46	23.5	0.99	80
PAYMASTER 404	1	2	31	40	26.0	0.95	80
TAMCOT CAMD E	2	4	31	38	24.2	0.93	80
TAMCOT SP 21	2	4	31	37	22.8	0.94	80
WESTERN 44	1	2	31	36	23.0	0.96	80
CASCOT B-2	1	2	32	35	24.0	0.95	80
PAYMASTER 303	1	2	32	36	24.0	0.98	80
PAYMASTER 792	1	2	32	42	25.0	1.01	82
TAMCOT SP 37	1	2	32	41	25.0	0.98	81
TAMCOT SP 37H	1	2	32	39	24.5	0.98	81
COKER 5110	1	2	33	38	26.5	1.02	80
DUNN 119	1	2	33	36	25.0	1.00	79
GP 3774	2	4	33	38	24.5	1.02	81
VAIL 7	1	1	34	46	25.0	1.11	81
COKER 304	1	2	35	42	23.5	1.10	81
DELTAPINE 41	7	13	35	43	24.9	1.11	81
DELTAPINE 62	3	6	35	45	26.3	1.13	80
DELTAPINE 70	1	2	35	41	24.5	1.08	80
DELTAPINE 120	1	2	35	48	27.0	1.06	82
MCNAIR 220	3	6	35	42	24.7	1.05	81
MCNAIR 235	2	4	35	43	24.8	1.10	81
STONEVILLE 213	8	15	35	45	24.7	1.10	81
STONEVILLE 825	12	21	35	46	24.3	1.10	81
ACALA SJ-2	6	12	36	43	29.0	1.13	82
ACALA SJ-5	3	6	36	42	28.5	1.13	82
COKER 310	3	6	36	41	25.5	1.14	81
COKER 315	2	4	36	43	25.0	1.14	81
DELTAPINE 55	4	7	36	41	24.0	1.12	80
DELTAPINE 61	7	13	36	44	25.2	1.12	81
DES 56	1	1	36	44	25.0	1.13	80
DES 422	1	1	36	44	24.0	1.12	81
STONEVILLE 506	1	1	36	40	25.0	1.13	80
ACALA SJ-2	1	2	37	35	27.5	1.14	82
ACALA 1517-75	1	2	37	38	26.0	1.17	82

^{1/} COMPILED FROM "SUMMARY OF COTTON FIBER AND PROCESSING TEST RESULTS, CROP OF 1982," USDA, AMS, COTTON DIVISION, MAY 1983.

^{2/} MICRONAIRE READING IS A MEASURE OF FIBER FINENESS AND MATURITY. THIS TEST MEASURES THE RESISTANCE OF A PLUG OF COTTON TO AIR FLOW.

^{3/} FIBER STRENGTH AS MEASURED ON A HIGH VOLUME INSTRUMENT (HVI) SYSTEM USING A 1/8-INCH GAGE SPACER BETWEEN THE CLAMP JAWS (1/8-INCH GAGE).

^{4/} HVI UPPER HALF MEAN LENGTH IS THE AVERAGE LENGTH OF THE LONGEST ONE-HALF OF THE FIBERS. LENGTH UNIFORMITY IS A MEASURE OF THE DEGREE OF UNIFORMITY OF FIBERS IN A SAMPLE. IT IS EXPRESSED AS AN INDEX OF THE MEAN/UPPER HALF MEAN LENGTH RATIO.

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1983

Variety	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	All other 1/	United States 2/
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Acala 1517 E-1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	*
Acala 1517 E-2	-	1	-	-	-	-	-	-	11	-	-	-	-	1	-	1
Acala 1517-75	-	1	-	-	-	-	-	-	45	-	-	-	-	*	-	*
Acala 1517-77	-	*	-	-	-	-	-	-	3	-	-	-	-	*	-	*
Acala SJ-2	-	-	-	71	-	-	-	-	1	-	-	-	-	-	-	9
Acala SJ-5	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	2
Acala SJC-1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	1
Blightmaster A5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
Cascot B-2	-	-	-	-	-	-	-	-	*	-	1	-	-	1	-	1
Cascot BR-1	-	-	-	-	-	-	-	-	-	-	1	-	-	*	*	*
Cascot C-13	-	*	1	-	-	-	-	1	-	-	5	-	*	1	6	1
Cascot L-7	-	2	*	-	-	-	-	1	-	-	1	-	-	3	-	2
Coker 304	*	-	*	-	13	-	-	3	-	18	-	16	-	-	-	1
Coker 310	1	-	*	-	9	-	-	5	-	20	-	20	*	*	-	1
Coker 312	-	*	-	-	-	-	-	-	1	-	-	-	-	1	-	*
Coker 315	-	-	-	-	16	-	-	1	-	6	-	47	-	-	-	1
Coker 3131	-	-	*	-	1	*	*	-	-	-	-	-	*	*	-	*
Coker 5110	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
Delcot 311	-	-	*	-	-	-	-	2	-	-	-	-	-	-	-	*
Deltapine 41	18	8	27	-	4	33	17	7	-	1	1	2	6	2	75	6
Deltapine 55	4	3	5	-	4	10	8	10	-	-	-	-	9	1	14	2
Deltapine 61	9	23	5	3	2	8	9	8	-	-	1	-	*	*	5	3
Deltapine 62	-	8	-	*	-	-	*	-	-	-	-	-	-	-	-	*
Deltapine 70	-	8	-	*	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine 90	-	29	-	1	*	-	*	-	*	-	*	-	-	*	-	1
Deltapine 120	-	9	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine NSL	-	*	3	-	-	*	4	1	-	-	-	-	4	-	-	1
Deltapine SR-383	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
DES 56	-	-	*	-	-	-	1	-	-	-	-	-	-	-	-	*
DES 422	-	*	-	-	-	*	7	-	-	-	-	-	1	-	-	1
Dunn 118	-	-	-	-	-	-	-	-	*	-	-	-	-	1	-	*
Dunn 119	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	1
Dunn 120	-	-	-	-	-	-	-	-	*	-	*	-	-	5	-	2
Dunn 219	-	-	-	-	-	-	-	-	1	-	*	-	-	1	-	1
Dunn 224	-	-	-	-	-	-	-	-	2	-	-	-	-	*	-	*
Earlycot 32	-	-	-	-	-	-	-	-	2	-	-	-	-	*	-	*
G & P GP 3755	-	-	-	-	-	-	-	-	-	-	2	-	-	*	-	*
G & P GP 3774	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1
Growers GSA 71	-	-	-	-	-	-	-	-	-	-	*	-	-	7	-	4
Growers GSA 74	-	-	-	-	-	-	-	-	*	-	1	-	-	*	-	*
Growers GSA 75	-	-	-	-	-	-	-	-	-	-	*	-	-	1	-	*
Growers GSA 78	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Lambright X-15-4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
Lankart 57	-	-	-	-	-	-	-	-	-	-	32	-	-	3	-	3
Lankart 611	-	-	-	-	-	-	-	-	-	-	15	-	-	7	-	4
Lankart LX-571	-	-	-	-	-	-	-	-	-	-	9	-	-	2	-	2
Lockett 77	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
McNair 220	*	*	-	*	28	-	-	-	4	21	-	1	*	1	-	1
McNair 235	4	-	3	-	7	-	2	*	4	33	-	12	13	*	-	1
Paymaster 145	-	-	-	-	-	-	-	-	1	-	2	-	-	5	-	3
Paymaster 266	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	*
Paymaster 303	-	-	-	-	-	-	-	-	4	-	-	-	-	5	-	2
Paymaster 404	-	-	-	-	-	-	-	-	2	-	1	-	-	3	-	2
Paymaster 792	-	-	-	-	-	-	-	-	2	-	*	-	-	4	-	2
Pioneer PR-75	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	*
Pioneer PR-80	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	1
Quapaw	-	-	-	-	-	-	-	-	1	-	*	-	-	2	-	1
Rilcot 90	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
SC-1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
Simwalt	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Stoneville 213	3	1	6	-	*	1	9	2	-	-	3	-	5	1	-	2
Stoneville 302	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
Stoneville 506	1	1	20	-	-	2	4	26	-	-	3	-	8	*	-	2
Stoneville 825	58	3	28	*	15	46	39	26	-	-	1	-	53	3	-	12
Stripper 31	-	-	-	-	-	-	-	-	1	-	*	-	-	1	-	*
Sunbelt 992	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	*
Tamcot CAMD-E	-	-	-	-	-	-	-	7	-	-	5	-	-	4	-	3
Tamcot SP21	-	-	-	-	-	-	-	-	2	-	*	-	-	6	-	3
Tamcot SP21S	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2
Tamcot SP37	-	-	-	-	-	-	-	-	-	-	*	-	-	2	-	1
Tamcot SP37H	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Westburn M	-	-	-	-	-	-	-	-	-	-	5	-	-	*	-	*
Western SP-44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
All other 3/	2	3	2	1	1	*	*	*	1	1	2	1	1	5	*	7
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

1/ Includes Florida and Kansas.

2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent.

3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed.

Table 3. Abilene Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot L-7	G & P GP 3774	Growers GSA 71	Growers GSA 75	Lankart 57	Lankart 611	Lankart LX-571	Pioneer PR-80	Tamcot SP21	Tamcot SP21S	Tamcot SP37	Tamcot SP37H	Tamcot CAMD-E	Western SP-44	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Fisher	-	-	*	-	3	4	-	2	44	22	3	-	11	4	7	100
Haskell	2	3	-	-	5	44	22	11	-	-	-	2	2	-	9	100
Howard 2/	-	-	5	-	-	-	-	2	28	11	27	11	-	-	16	100
Jones	-	6	-	-	2	68	8	3	1	-	1	2	2	-	7	100
Knox	-	3	-	-	3	38	11	3	-	9	-	15	-	-	18	100
Martin 2/	-	-	6	-	-	-	-	-	6	34	-	-	6	2	46	100
Mitchell	4	-	2	7	-	-	-	5	3	19	21	5	-	18	16	100
Runnells	-	21	1	-	8	21	7	1	10	28	-	-	-	-	3	100
Scurry 3/	3	-	3	11	-	-	-	2	24	15	-	-	-	10	32	100
Tom Green	9	19	-	-	7	5	3	2	11	22	3	3	3	-	13	100
All other	2	14	2	5	4	9	2	5	19	6	7	-	2	*	23	100
Office Total	2	8	1	3	4	21	6	5	14	10	5	2	3	2	14	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Lamesa Marketing Services Office.

3/ A portion of this county is served by Lubbock Marketing Services Office.

* Less than 0.5 percent.

Table 4. Altus Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot C-13	Dunn 120	G & P GP 3755	G & P GP 3774	Lankart 57	Lankart 611	Lankart LX-571	Lockett 77	Pay-master 145	Pay-master 404	Pioneer PR-75	Pioneer PR-80	Tamcot CAMD-E	West-burn M	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Oklahoma:																
Beckham	-	-	5	-	22	22	11	-	6	-	5	8	-	10	11	100
Caddo	2	-	1	-	29	13	12	7	5	-	5	5	3	4	14	100
Grady	-	-	-	-	6	52	3	-	20	-	11	6	-	-	2	100
Greer	4	-	-	-	58	4	1	1	1	1	9	2	3	3	13	100
Harmon	-	-	-	-	21	2	-	1	3	2	-	8	2	9	52	100
Jackson	1	-	9	5	14	1	*	1	1	2	-	-	2	10	54	100
Kiowa	1	-	-	4	39	37	7	1	-	-	*	-	1	3	7	100
Tillman	12	*	2	*	45	6	16	*	2	*	*	1	9	2	5	100
Washita	4	-	*	-	25	33	7	3	2	-	5	2	1	6	12	100
All other	-	-	-	-	12	30	3	*	8	-	14	6	19	2	6	100
Total	5	*	2	1	32	15	9	1	2	1	3	2	5	5	17	100
Texas:																
Brisco	-	2	-	-	2	6	1	-	19	-	-	-	24	-	46	100
Collingsworth	-	-	-	-	19	6	5	12	2	1	10	8	2	*	35	100
Cottle	-	3	-	1	*	38	2	-	27	4	-	-	-	-	25	100
Hall	-	-	-	-	5	26	-	3	44	4	1	-	1	-	16	100
Hardeman	-	3	-	8	7	37	2	16	-	-	-	7	-	-	20	100
Motley	3	24	-	6	-	23	1	1	15	1	-	-	1	-	25	100
Wilbarger	-	-	7	11	19	17	11	1	-	-	1	5	-	15	13	100
All other	2	3	4	-	9	23	7	8	14	6	3	1	1	*	19	100
Total	1	4	2	2	8	22	4	5	18	3	2	2	3	2	22	100
Office Total 2/	3	2	2	2	18	19	6	3	12	2	2	2	4	3	20	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ Includes small acreages in Kansas.

* Less than 0.5 percent.

Table 5. Bakersfield Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1983

State and County	Acala SJ-2	Acala SJ-5	Acala SJC-1	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other 1/	Total
California:															
Kern	80	10	10	-	-	-	-	-	-	-	-	-	-	-	100
Kings 2/	83	15	2	-	-	-	-	-	-	-	-	-	-	*	100
Tulare 2/	57	35	8	-	-	-	-	-	-	-	-	-	-	-	100
Office Total	77	16	7	-	-	-	-	-	-	-	-	-	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Fresno Marketing Services Office.

* Less than 0.5 percent.

Table 6. Birmingham Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1983

State and County	Coker 304	Coker 310	Delta- pine 16	Delta- pine 41	Delta- pine 55	Delta- pine 61	McNair 220	McNair 235	Stone- ville 213	Stone- ville 506	Stone- ville 825	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other 1/	Total
Alabama:																			
Cherokee	-	-	-	-	2	-	-	44	-	8	42	-	-	-	-	-	-	4	100
Colbert	-	-	-	6	3	4	-	-	15	-	72	-	-	-	-	-	-	-	100
Dallas	-	-	-	28	-	72	-	-	-	-	-	-	-	-	-	-	-	-	100
Elmore	-	-	-	79	5	-	3	-	-	-	10	-	-	-	-	-	-	3	100
Lauderdale	-	-	-	-	-	1	-	-	-	-	99	-	-	-	-	-	-	-	100
Lawrence	-	-	-	13	1	-	-	-	-	3	82	-	-	-	-	-	-	1	100
Limestone	-	-	-	4	-	3	-	-	-	-	90	-	-	-	-	-	-	3	100
Madison	-	-	-	-	-	-	-	-	-	4	91	-	-	-	-	-	-	5	100
All other	1	4	*	31	12	17	*	6	4	-	22	-	-	-	-	-	-	3	100
Total	*	1	*	18	4	9	*	4	3	1	58	-	-	-	-	-	-	2	100
Florida:																			
Total	-	-	-	80	15	5	-	-	-	-	-	-	-	-	-	-	-	-	100
Office Total	*	1	*	20	5	9	*	4	2	1	55	-	-	-	-	-	-	3	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

* Less than 0.5 percent.

Table 7. Corpus Christi Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot C-13	Delta-pine 41	Delta-pine 55	Delta-pine 61	G & P GP 3755	G & P GP 3774	Pioneer PR-80	Stone-ville 213	Stone-ville 506	Stone-ville 825	Tamcot CAMD-E	Tamcot SP21S	Tamcot SP37	Tamcot SP37H	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Fort Bend	-	13	29	15	-	-	-	5	5	24	-	-	-	-	9	100
Nueces	4	-	-	-	5	25	8	-	-	*	23	2	8	17	8	100
San Patricio	5	-	-	-	-	5	10	-	-	-	11	3	23	40	3	100
Wharton	-	8	35	3	2	2	-	2	8	33	2	-	-	-	5	100
All other	-	6	20	-	-	12	4	2	6	12	21	-	8	-	9	100
Office Total	3	4	12	3	2	10	6	1	3	10	13	2	10	17	4	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

* Less than 0.5 percent.

Table 8. El Centro Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Delta-pine 30	Delta-pine 41	Delta-pine 61	Delta-pine 62	Delta-pine 70	Delta-pine 90	Delta-pine 120	McNair 220	Stone-ville 825	Stone-ville 825	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:												
Imperial	-	-	82	1	9	4	1	3	*	-	-	100
Riverside	2	-	40	*	9	48	-	-	1	-	-	100
Total	1	-	60	*	9	27	*	2	1	-	-	100
Arizona:												
Yuma	-	2	51	18	4	23	1	-	1	-	*	100
Total	-	2	51	18	4	23	1	-	1	-	*	100
Office Total	*	1	56	8	7	26	*	1	1	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

* Less than 0.5 percent.

Table 9. El Paso Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Acala 1517 E-1	Acala 1517 E-2	Acala 1517-75	Acala 1517-77	Cascot L-7	Coker 312	Coker 3131	Coker 4360	Delta-pine 90	McNair 220	McNair 235	Stone-ville 213	Stone-ville 825	Tamcot SP21	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
El Paso	-	-	14	-	-	-	-	-	17	51	-	2	-	9	7	100
All other	-	-	-	-	4	10	10	6	8	5	30	4	2	3	18	100
Total	-	-	5	-	2	7	7	4	11	20	20	4	1	5	14	100
New Mexico:																
Dona Ana	1	1	85	3	-	-	-	-	1	9	-	-	-	-	-	100
Eddy	8	8	30	12	-	-	-	-	-	1	-	-	-	4	37	100
Luna	8	42	45	3	-	-	-	-	-	2	-	-	-	-	-	100
All other	1	1	58	-	-	-	-	-	1	9	19	-	-	2	9	100
Total	4	14	56	4	-	-	-	-	1	6	6	-	-	1	8	100
Arizona:																
Cochise	-	15	14	1	35	3	-	-	11	2	-	14	2	-	3	100
All other	-	-	15	-	-	-	-	-	34	9	-	-	32	-	10	100
Total	-	11	14	1	25	2	-	-	17	4	-	10	11	-	5	100
Office Total	1	8	27	2	7	3	2	2	8	11	10	4	3	2	10	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

Table 10. Florence Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Coker 304	Coker 310	Coker 315	Delta-pine 41	McNair 220	McNair 235	SC-1	-----	-----	-----	-----	-----	-----	-----	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
North Carolina:																
Cleveland	8	8	8	-	76	-	-	-	-	-	-	-	-	-	-	100
Halifax	10	8	4	-	43	35	-	-	-	-	-	-	-	-	-	100
Northampton	-	21	-	-	27	48	-	-	-	-	-	-	-	-	4	100
Scotland	14	3	23	-	27	30	-	-	-	-	-	-	-	-	3	100
All other	27	28	3	2	8	31	-	-	-	-	-	-	-	-	1	100
Total	18	20	6	1	21	33	-	-	-	-	-	-	-	-	1	100
South Carolina:																
Calhoun	5	5	86	-	-	2	-	-	-	-	-	-	-	-	2	100
Dillon	-	34	36	-	-	30	-	-	-	-	-	-	-	-	-	100
Lee	20	17	58	5	-	-	-	-	-	-	-	-	-	-	-	100
Marlboro	16	23	19	-	-	39	-	-	-	-	-	-	-	-	3	100
Orangeburg	39	17	37	-	-	7	-	-	-	-	-	-	-	-	-	100
Sumter	8	34	58	-	-	-	-	-	-	-	-	-	-	-	-	100
All other	19	17	43	2	4	7	7	-	-	-	-	-	-	-	1	100
Total	16	20	47	2	1	12	1	-	-	-	-	-	-	-	1	100
Office Total	17	20	28	1	10	22	1	-	-	-	-	-	-	-	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

Table 11. Fresno Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

[illegible]

Table 12. Greenwood Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Delta- pine 41	Delta- pine 55	Delta- pine 61	Delta- pine 62	Delta- pine 90	Delta- pine 150	Delta- pine NSL	DES 56	DES 422	McNair 235	Stone- ville 213	Stone- ville 506	Stone- ville 825	-----	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Mississippi:																
Bolivar	32	-	12	-	-	-	40	-	-	-	7	-	9	-	-	100
Coahoma	7	2	5	-	-	-	1	*	11	-	34	-	40	-	-	100
Clarks	5	-	9	-	-	-	-	-	-	-	-	-	86	-	-	100
Holmes	14	5	11	-	-	-	-	3	1	*	-	*	66	-	-	100
Humphreys	9	20	10	-	-	-	-	1	10	-	8	9	33	-	-	100
Leflore	3	4	10	-	-	-	5	-	9	-	10	3	56	-	-	100
Madison	54	5	16	-	-	-	-	-	-	-	-	-	25	-	-	100
Panola 1/	20	5	-	-	-	-	-	-	1	7	1	1	65	-	-	100
Quitman	23	-	1	-	-	-	2	-	2	-	2	2	68	-	-	100
Sharkey	17	41	4	-	-	-	-	-	27	-	-	-	11	-	-	100
Sunflower	6	4	6	-	-	-	-	-	25	-	22	-	37	-	-	100
Tallahatchie	30	14	4	-	3	1	13	-	9	-	-	-	26	-	-	100
Tunica	38	17	11	-	-	-	2	9	-	-	-	-	23	-	-	100
Washington	-	10	12	-	-	-	-	-	4	-	21	14	39	-	-	100
Yazoo	15	-	24	-	-	-	-	-	-	1	-	-	60	-	-	100
All other	19	13	13	*	-	-	7	1	6	1	12	6	22	-	-	100
Office Total	16	8	10	*	*	*	4	1	8	*	10	3	40	-	-	100

11/ A portion of this county is served by Memphis Marketing Services Office.
* less than 0.5 percent.

Table 13. Marlingen Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Delta-pine 41	Delta-pine 55	Delta-pine 70	Delta-pine SR-2	G & P GP 3/74	McNair 220	McNair 235	Rio 875	Stone-ville 213	Stone-ville 256	Stone-ville 506	Stone-ville 825	Valco 9070	Valco DX	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Cameron	34	6	3	-	6	4	-	8	5	-	*	32	1	1	*	100
Hidalgo	8	8	-	13	*	12	1	7	9	1	2	38	1	*	*	100
Willacy	39	-	-	-	2	1	-	-	10	-	-	45	2	1	*	100
All other	8	-	-	-	-	25	-	-	13	-	-	54	-	-	-	100
Office Total	28	5	1	4	3	5	*	5	8	*	1	38	1	1	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.
* Less than 0.5 percent.

Table 14. Hayti Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot L-7	Cascot C-13	Coker 304	Coker 310	Delcot 311	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine NSL	McNair 235	Stone-ville 213	Stone-ville 506	Stone-ville 825	Stone-ville 825	Tamcot CAMD-E	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Missouri:																	
Dunklin	1	1	3	7	2	3	14	16	1	-	1	34	16	*	*	1	100
New Madrid	-	-	2	3	5	5	11	-	1	*	3	9	36	24	1	1	100
Pemiscot	-	4	-	-	1	23	2	*	-	-	5	44	19	1	1	1	100
Stoddard	2	-	15	7	-	1	2	1	-	-	6	5	56	4	1	1	100
All other	-	-	-	1	-	11	-	-	-	-	4	12	72	*	-	-	100
Total	1	1	3	5	2	7	10	8	1	*	2	26	26	7	1	1	100
Arkansas:																	
Craighead	*	*	1	4	-	8	*	1	-	1	10	35	39	-	1	1	100
Mississippi	*	7	*	-	-	24	*	4	4	20	19	9	13	-	-	-	100
Poinsett	-	-	-	-	-	8	-	2	-	-	11	22	57	-	-	-	100
All other	-	-	1	-	3	16	3	-	-	2	7	32	36	-	*	*	100
Total	*	2	*	1	*	14	*	2	1	7	13	24	35	-	1	1	100
Office Total	*	2	2	3	1	10	5	5	1	3	7	26	30	4	1	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.
* Less than 0.5 percent.

Table 15. Lamesa Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Acala 1517 BR-2	Acala 1517 E-2	Blight-master A5	Cascot L-7	Dunn 119	Dunn 120	Dunn 219	Growers CSA 71	Lam-bright X-15-4	Strip-per 31A	Stroman 254	Tamcot CAMD-E	Tamcot SP21	Tamcot SP21S	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Dawson	-	-	7	*	10	14	1	*	4	1	-	3	24	20	16	100
Gaines	4	11	*	2	3	33	1	5	7	4	5	1	6	1	17	100
All other	-	-	6	8	7	4	10	4	4	1	-	3	15	1	37	100
Total	2	5	4	3	6	19	3	3	5	2	2	2	14	6	24	100
New Mexico:																
Total	4	2	-	-	30	-	-	-	-	-	-	-	-	-	64	100
Office Total	2	5	4	3	6	19	3	3	5	2	2	2	14	6	24	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.
 * Less than 0.5 percent.

Table 16. Little Rock Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine NSL	DES 56	McNair 235	Stone-ville 213	Stone-ville 506	Stone-ville 825	-----	-----	-----	-----	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arkansas:															
Ashley	24	1	13	13	1	9	2	29	8	-	-	-	-	-	100
Chicot	48	4	2	-	-	-	2	4	40	-	-	-	-	-	100
Desha	17	-	8	-	-	1	5	45	24	-	-	-	-	-	100
Jefferson	40	-	16	6	-	-	-	2	36	-	-	-	-	-	100
Lafayette	67	7	-	-	-	8	-	-	18	-	-	-	-	-	100
Lee	15	-	3	12	3	-	-	40	27	-	-	-	-	-	100
Lincoln	49	11	7	-	-	-	-	7	26	-	-	-	-	-	100
Lonoke	14	26	-	-	-	-	-	15	45	-	-	-	-	-	100
Monroe	39	4	-	-	-	-	8	15	34	-	-	-	-	-	100
Phillips	17	14	-	-	-	-	21	20	28	-	-	-	-	-	100
St. Francis	48	19	-	-	-	-	-	12	21	-	-	-	-	-	100
All other	25	32	5	2	-	1	7	15	13	-	-	-	-	-	100
Office Total	30	8	7	4	*	2	4	19	26	-	-	-	-	-	100

* Less than 0.5 percent.

Table 17. Lubbock Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot L-7	Dunn 119	Dunn 120	Dunn 219	Growers GSA 71	Growers GSA 78	Pay- master 145	Pay- master 303	Pay- master 404	Pay- master 792	Quapaw	Sunbelt 992	Tamcot CAMD-E	Tamcot SP21	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Bailey	4	1	*	1	9	-	4	8	1	11	4	*	19	16	22	100
Castro	7	-	-	*	7	-	6	2	*	16	-	13	24	-	25	100
Cochran	*	3	2	2	7	-	5	3	2	1	14	-	23	27	11	100
Crosby	13	6	*	3	2	11	4	21	5	6	-	-	8	3	18	100
Dickens	1	-	3	-	1	-	5	1	-	-	-	-	-	-	89	100
Floyd	5	-	-	-	1	3	8	14	17	21	-	7	2	-	22	100
Garza	-	2	-	-	10	-	12	10	14	-	-	2	-	*	50	100
Hale	1	8	-	3	15	2	4	18	11	21	1	1	2	-	13	100
Hockley	1	3	2	2	35	1	5	11	6	1	6	*	5	2	20	100
Lamb	10	12	*	1	13	1	9	6	3	12	1	-	9	5	18	100
Lubbock	3	4	3	4	13	2	6	18	19	1	*	*	1	1	25	100
Lynn 2/	1	1	9	5	26	6	3	16	4	2	2	-	-	-	25	100
Parmer	*	1	-	-	3	-	1	1	3	43	2	9	14	-	23	100
Swisher	6	-	-	-	13	-	15	3	-	26	-	-	18	*	19	100
Terry	2	3	15	*	8	-	6	3	4	1	12	-	1	1	44	100
Yoakum	22	9	-	2	33	-	6	-	-	-	6	-	*	*	22	100
All other	-	34	-	-	-	-	1	-	-	34	13	-	9	-	9	100
Total	5	4	3	2	15	2	6	10	7	9	3	2	6	3	23	100

New Mexico:

Total 3/	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	17	16	9	17	-	7	27	100
Office Total	5	4			3		2	15	2				6	10		7	9	3	2	6	3	23	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.
2/ A portion of this county is served by Lamesa Marketing Services Office.
3/ Includes Quay and Roosevelt counties.
* Less than 0.5 percent.

Table 18. Macon Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Coker 304	Coker 310	Coker 315	Coker 3131	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine 90	McNair 220	McNair 235	Quality seed QS-137	Stoneville 213	Stoneville 825	-----	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:																
Burke	2	8	49	1	22	-	12	-	2	3	-	-	1	-	-	100
Colquitt	13	21	21	-	-	1	-	-	30	13	-	-	1	-	-	100
Dooly	18	12	10	2	2	3	1	-	17	12	-	-	21	-	2	100
Jefferson	-	4	26	-	-	-	5	-	7	-	-	-	58	-	-	100
All other	14	6	11	1	3	5	1	*	33	6	1	1	18	-	*	100
Office Total	13	9	16	1	4	4	2	*	28	7	*	*	15	-	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.
* Less than 0.5 percent.

Table 19. Memphis Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Coker 310	Coker 3131	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine NSL	DES 56	DES 422	Blancock	McNair 220	McNair 235	Stone-ville 213	Stone-ville 506	Stone-ville 825	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Tennessee:																
Crockett	-	-	3	8	-	-	-	-	-	-	5	-	3	81	-	100
Dyer	-	-	-	-	10	17	-	-	-	-	-	19	-	54	-	100
Fayette	3	-	6	10	-	7	-	-	-	-	9	-	4	61	-	100
Gibson	-	-	16	-	-	-	-	-	-	4	50	-	-	29	1	100
Hardeman	-	-	19	-	-	3	-	-	-	-	28	-	19	31	-	100
Itawayood	-	-	4	7	-	6	-	6	-	-	-	9	11	57	-	100
Lauderdale	-	2	-	28	-	-	-	-	4	-	-	-	20	45	1	100
Madison	-	3	4	-	-	3	-	-	-	-	39	-	13	38	-	100
Shelby	-	3	18	14	-	18	-	-	-	-	5	2	1	39	-	100
Tipton	-	-	-	27	-	-	-	-	-	-	6	18	17	31	1	100
All other	-	-	-	1	3	-	-	-	-	-	37	3	-	54	2	100
Total	*	*	6	9	*	4	-	1	*	*	13	5	8	53	1	100
Arkansas:																
Crittenden	-	-	78	-	-	-	-	-	-	-	-	-	-	22	-	100
Total	-	-	78	-	-	-	-	-	-	-	-	-	-	22	-	100
Mississippi:																
Calhoun	-	-	5	21	5	5	-	-	-	-	5	8	-	51	-	100
Marshall	-	-	22	20	-	3	-	-	-	-	3	-	23	29	-	100
Panola 2/	-	-	11	-	19	-	-	-	-	-	19	-	-	51	-	100
Tate	-	-	31	13	-	3	-	-	-	-	6	-	22	25	-	100
All other	-	1	28	6	2	1	1	-	-	-	18	1	8	34	-	100
Total	-	1	22	9	4	2	1	-	-	-	14	2	9	36	-	100
Office Total	*	1	14	8	2	3	*	1	*	*	13	3	8	47	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Greenwood Marketing Services Office.

* Less than 0.5 percent.

Table 20. Phoenix Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Delta-pine 30	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine 62	Delta-pine 70	Delta-pine 90	Delta-pine 120	Delta-pine NSL	DES 422	Stone-ville 506	Stone-ville 825	-----	-----	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arizona:																
LaPaz	-	5	2	21	*	5	45	19	-	-	-	2	-	-	1	100
Maricopa	*	1	1	18	8	11	39	18	1	-	2	1	-	-	*	100
Pima	-	5	67	2	-	-	1	-	-	14	11	-	-	-	-	100
Pinal	*	27	*	28	10	8	23	2	-	-	-	2	-	-	*	100
All other	-	-	-	2	21	2	18	-	-	-	-	57	-	-	-	100
Office Total	*	10	4	21	8	9	32	11	1	1	1	2	-	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

* Less than 0.5 percent.

Table 21. Waco Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1983

State and County	Cascot B-2	Cascot C-13	Delta-pine 41	Delta-pine 55	G & P GP 3774	Lankart 57	Lankart 611	Lankart LX-571	Pioneer PR-75	Stone-ville 213	Stone-ville 825	Tamcot SP37	Tamcot SP37H	Tamcot CAMD-E	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Brazos	-	-	-	-	-	-	-	-	-	12	84	-	-	-	4	100
Collins	17	-	-	-	40	19	22	-	-	-	-	-	-	-	2	100
Ellis	-	-	-	-	2	51	21	12	-	-	-	12	-	-	2	100
Falls	40	-	-	-	40	-	-	-	-	-	-	-	-	5	15	100
Hill	-	-	-	-	15	13	-	54	1	-	-	-	-	-	17	100
Hunt	-	-	-	-	5	60	-	30	-	-	-	-	-	-	5	100
Milam	5	-	-	-	-	2	-	25	-	-	-	-	52	11	5	100
Navarro	6	16	-	-	-	4	10	59	4	-	-	-	-	-	1	100
Robertson	-	-	45	45	-	-	-	-	-	-	10	-	-	-	-	100
Williamson	9	1	-	-	12	27	7	23	2	-	-	-	1	8	10	100
All other	2	3	8	-	3	22	8	6	3	12	12	1	3	6	11	100
Total	5	2	5	2	7	23	8	15	2	5	9	2	4	5	6	100
Office Total 2/	5	2	5	2	7	23	8	15	2	5	9	2	4	5	6	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ Includes small acreages in Oklahoma.

Table 22. Winnsboro Marketing Services Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1983

State and Parish	Coker 3131	Delta-pine 41	Delta-pine 55	Delta-pine 61	Delta-pine NSL	DES 422	Gumbo 500	Quality seed GS-137	Stone-ville 213	Stone-ville 506	Stone-ville 825	-----	-----	-----	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Louisiana:																
Bossier	-	32	3	33	-	-	-	-	-	-	32	-	-	-	-	100
Caddo	1	64	8	10	-	2	-	1	-	-	14	-	-	-	-	100
Catahoula	-	9	-	-	-	-	-	-	-	4	87	-	-	-	-	100
East Carroll	-	3	-	38	-	-	-	-	-	-	59	-	-	-	-	100
Franklin	-	4	3	-	-	-	-	-	3	-	90	-	-	-	-	100
Morehouse	-	53	12	5	1	-	-	-	1	7	21	-	-	-	-	100
Ouachita	-	60	5	32	3	-	-	-	-	-	-	-	-	-	-	100
Rapides	-	44	17	2	-	-	1	-	-	-	36	-	-	-	-	100
Richland	-	20	18	8	-	-	-	-	-	6	48	-	-	-	-	100
Tensas	-	73	5	3	1	-	-	-	4	-	14	-	-	-	-	100
West Carroll	-	33	14	*	-	-	-	-	4	-	49	-	-	-	-	100
All other	-	66	14	8	-	-	-	-	-	-	12	-	-	-	-	100
Office Total	*	33	10	8	*	*	*	*	1	2	46	-	-	-	-	100

* Less than 0.5 percent.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1983

State and Year	Pima S-5	Pima S-6	Other	Total
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
<u>Arizona</u> 1983	62	38	-	100
<u>New Mexico</u> 1983	88	12	-	100
<u>Texas</u> 1983	77	23	-	100
<u>United States</u> 1983	69	31	-	100

Table 24. Estimated percentage of American Pima cotton acreage planted to specified varieties, by Marketing Services Office areas, crop of 1983

Marketing Services Office areas	Pima S-5	Pima S-6	Other	Total
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
<u>El Paso</u>				
<u>Arizona:</u>				
Total	56	44	-	100
<u>New Mexico:</u>				
Total	88	12	-	100
<u>Texas:</u>				
Total	77	23	-	100
Office Total	73	27	-	100
<u>Phoenix</u>				
<u>Arizona:</u>				
Total	64	36	-	100
Office Total	64	36	-	100

NATIONAL AGRICULTURAL LIBRARY



1022919540